

Tuesday, June 28, 2016 8:58:32 AM

148259

Item ID: D3255-042

Accept

N900040100

Setup Start *NS1*

Revision ID:

Item Name: Access Panel Assembly

Stop *NS2*

Start Date: 6/27/2016 **Start Qty:** 1.00

1

Cust Item ID:

Required Date: 7/8/2016 **Req'd Qty:** 1.00

1

Customer:

Reference:

DAS

21

9-39

Approvals: Process Plan: 9-39 Date: JUL 04 2016

Tooling:

Date:

Run Start *NR1*

QC:

Date:

SPC (Y/N):

Date:

Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
Draw Nbr	Revision Nbr								
D3255	Rev B								16-09-29 JSC
100		0.00							
100	Large Fab					1			
Large Fab	Memo	0.15							
Large Fab	1-Weld as per Dwg D3255 ***purge weld***A/R Batch: <u>134442</u> 2-Grind Welds Flush								
110	QC10- Inspect visual per QSI004- ground welds	0.00							
110						1	2	16-10-3	
QC	Memo	0.00							
Quality Control									
120	QC5- Inspect part completeness to step on W/O	0.00							
120						1			
QC	Memo	0.00							
Quality Control									OCT 03 2016 DAS 38 9.88

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date : _____	Step #: _____	QTY Effective : _____		MRB (QSI042) Approval	
Description Work Order Deviation		Disposition			
				Completed By	
				Lead hand / Supervisor Approval Verification	
				QC / QA Coordinator Approval	
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Misabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐			
OTHER : _____					

Work Order ID 148259

Tuesday, June 28, 2016 8:58:32 AM

148259

Page 2

Item ID: D3255-042 Accept ***N900040100*** Setup Start ***NS1***
Revision ID: Stop ***NS2***
Item Name: Access Panel Assembly
Start Date: 6/27/2016 Start Qty: 1.00 ***1*** Cust Item ID:
Required Date: 7/8/2016 Req'd Qty: 1.00 ***1*** Customer:
Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____ Run Start ***NR1***
QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
130 *130* Powdercoat Powder Coating	Grey Sandtex(Ref:4.3,5,6) per OSI005 4.3 <i>m134858</i> Memo START TIME: <i>1:25</i> OVEN TEMPERATURE: <i>350</i> FINISH TIME: <i>1:55</i>	0.00 0.00				<i>1</i>	<i>0.16-10-3</i>	<i>34</i>	<i>389</i>
140 *140* QC Quality Control	QC3- Inspect Part Finish Memo	0.00 0.00				<i>1</i>		<i>DB</i>	<i>16-10-03</i>
150 *150* Small Fab Small Fab	Small Fab Memo 1-Bond D3255-5 gasaket to d3255-042 using Dow corning adhesive as per Dwg D3255A/R 736 DOW CORNING ADHESIVE Batch: <i>17131824</i> <i>m130977</i>	0.00 0.06				<i>1</i>	<i>FF</i>	<i>OCT 11 2016</i>	

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐																																																													
Date :		Step #:		QTY Effective :				MRB (QSI042) Approval																																																									
Description Work Order Deviation				Disposition				Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval																																																									
Root Cause		FAULT CATEGORY																																																															
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐	Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐	Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐	Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐	Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐	Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐	Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐	Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐	LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐	Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐	Past Expiry Date ☐	Manufacturing Process ☐	OTHER :			
Misidentified ☐	Past Due ☐																																																																

Work Order ID 148259

Tuesday, June 28, 2016 8:58:32 AM

148259

Page 3

Item ID: D3255-042 Accept ***N900040100*** Setup Start ***NS1***
Revision ID: Stop ***NS2***
Item Name: Access Panel Assembly
Start Date: 6/27/2016 Start Qty: 1.00 ***1*** Cust Item ID:
Required Date: 7/8/2016 Req'd Qty: 1.00 ***1*** Customer:
Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____ Run Start ***NR1***
QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
160 *160* QC Quality Control	QC5- Inspect part completeness to step on W/O Memo	0.00 0.00				1			DAS 38 9-89 OCT 11 2016
170 *170* Packaging Packaging	Identify as per dwg & Stock Location: <u>8489</u> Memo	0.00 0.00				1		OCT 12 2016	DAS 6 9-89
180 *180* QC Quality Control	QC21- Final Inspection - Work Order Release Memo	0.00 0.02							DAS 21 9-89 OCT 13 2016
									DAS 21 9-89 OCT 12 2016

DQA: _____ Date: _____

WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :				MRB (QSI042) Approval Completed By _____ Lead hand / Supervisor Approval Verification _____ QC / QA Coordinator Approval _____	
Description Work Order Deviation				Disposition					

Root Cause				FAULT CATEGORY			
Environment ☐		No Re-verification ☐		Pressure/Forced ☐		Temperature/Cure ☐	
Design ☐		Operator ☐		Bending ☐		Set-up ☐	
Doc/Data ☐		Offset/Setup ☐		Centre Not Concentric ☐		BOM/Route ☐	
Equip/Tooling ☐		Supplier ☐		Cracks ☐		Broken/Damage/Defect ☐	
Handling/Pre ☐		Training ☐		Crimp/Kink/Ripple/Wave ☐		Inspection Incomplete/Unqualified ☐	
Material ☐		Use for Testing ☐		Cuffs ☐		Contamination ☐	
Internal Transport ☐		Poor Information ☐		Crushing ☐		Countersink ☐	
Tribal Knowledge ☐		Rushing ☐		Heat Treat ☐		Cut Too Short ☐	
LOA ☐		Product Improvement ☐		Wave/Twist in Tube ☐		Instructions Incomplete/Unclear ☐	
Substation ☐		Process Improvement ☐		Marks/Chatter ☐		Drill Holes ☐	
Past Expiry Date ☐		Manufacturing Process ☐		OTHER : _____			
Misidentified ☐		Past Due ☐					

Picklist Print

Tuesday, June 28, 2016 8:58:32 AM

Page 1 / 1

Work Order ID: 148259

148259

Parent Item: D3255-042

D3255-042

Parent Item Name: Access Panel Assembly

Start Date: 6/27/2016

Required Date: 7/8/2016

Start Qty: 1.00

Required Qty: 1.00

Comments: IPP Rev:C Removed Manufacturing of D3255-1/-2/-3 06-08-02 JLM

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
---------------------------------	------------------------	---------------	-------------	---------------------	------------------	-----------------	--------------------	----------------	-------------	--------------	---------------	----------------	--------

D3255-2		Manufactured	No			100	Each	6.0000	1	1			
---------	--	--------------	----	--	--	-----	------	--------	---	---	--	--	--

D3255-2

Panel

16-09-15
JLM

Location	Loc Qty	Loc Code
----------	---------	----------

WA001	2	
131018	2	
WA002	4	
142752	4	

D3255-3		Manufactured	No			150	Each	27.0000	1	1			
---------	--	--------------	----	--	--	-----	------	---------	---	---	--	--	--

D3255-3

Cap

16-09-15
JLM

Location	Loc Qty	Loc Code
----------	---------	----------

WA001	27	
116750	1	
145421	26	

D3255-5		Manufactured	No			100	Each	19.0000	1	1			
---------	--	--------------	----	--	--	-----	------	---------	---	---	--	--	--

D3255-5

Gasket

FF OCT 06 2015

Location	Loc Qty	Loc Code
----------	---------	----------

GA	19	
130542	3	
145595	16	

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____





Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval 		
Description Work Order Deviation				Disposition					
								Completed By	
								Lead hand / Supervisor Approval Verification	
								QC / QA Coordinator Approval	

Root Cause				FAULT CATEGORY			
Environment ☐		No Re-verification ☐		Pressure/Forced ☐		Temperature/Cure ☐	
Design ☐		Operator ☐		Bending ☐		Set-up ☐	
Doc/Data ☐		Offset/Setup ☐		Centre Not Concentric ☐		BOM/Route ☐	
Equip/Tooling ☐		Supplier ☐		Cracks ☐		Broken/Damage/Defect ☐	
Handling/Pre ☐		Training ☐		Crimp/Kink/Ripple/Wave ☐		Inspection Incomplete/Unqualified ☐	
Material ☐		Use for Testing ☐		Cuffs ☐		Contamination ☐	
Internal Transport ☐		Poor Information ☐		Crushing ☐		Countersink ☐	
Tribal Knowledge ☐		Rushing ☐		Heat Treat ☐		Cut Too Short ☐	
LOA ☐		Product Improvement ☐		Wave/Twist in Tube ☐		Instructions Incomplete/Unclear ☐	
Substation ☐		Process Improvement ☐		Marks/Chatter ☐		Drill Holes ☐	
Past Expiry Date ☐		Manufacturing Process ☐		OTHER : _____ _____ _____			
Misidentified ☐		Past Due ☐					

DART

DESIGN 74	DRAWN BY 74	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED if	APPROVED [Signature]	DRAWING NO. D3255	REV. B SHEET 1 OF 4
DATE 04.12.06		TITLE ACCESS PANEL ASSEMBLY	SCALE 1:6
A	04.01.27	NEW ISSUE	
B	04.12.06	D3255-3 REDESIGN; ADDED $\phi 0.098$	

RELEASED
05-01-18 #

D3255-1 BEND DETAIL
D3255-2 OPPOSITE

D3255-041/-042 NOTES:

- 1) WELD PER DART QSI 004
- 2) FINISH: POWDER COAT GREY SANDTEX (4.3.5.6) PER QSI 005 4.3
- 3) INSTALL D3255-5 GASKET USING DOW CORNING P/N 736 ADHESIVE IN ACCORDANCE WITH MANUFACTURE'S INSTRUCTIONS
- 4) IDENTIFY WITH P/N & B/N USING FINE POINT PERMANENT MARKER

SHOP COPY
ENGINEERING
RETURN TO
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 148259 M.C.S.
16-07-04


Copyright © 2004 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.



DESIGN JF	DRAWN BY JF	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED JP	APPROVED [Signature]	DRAWING NO. D3255	REV. B SHEET 2 OF 4
DATE 04.12.06		TITLE TITLE	SCALE 1:1

RELEASED
05-01-08 #



D3255-3 CAP
FORM TO FIT D3155-1/-2

D3255-3 NOTES:


- 1) MATERIAL: AISI 304/316 SS 0.032 THICK (REF. M304S22GA)
- 2) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 3) ALL DIMENSIONS ARE IN INCHES
- 5) BREAK ALL SHARP EDGES 0.005 TO 0.010
- 6) MAKE PER DRAWING "D3255-B2.DWG"

Copyright © 2004 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

DART

DESIGN JF	DRAWN BY JF	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED JP	APPROVED JF	DRAWING NO. D3255	REV. B SHEET 3 OF 4
DATE 04.12.06		TITLE ACCESS PANEL ASSEMBLY	SCALE 1:5

**D3255-1/-2 FLAT PATTERN****D3255-1/-2 NOTES:**

- 1) MATERIAL: AISI 304/316 SS 0.032 THICK (REF. M304S22GA)
- 2) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 3) ALL DIMENSIONS ARE IN INCHES
- 4) BREAK ALL SHARP EDGES 0.005 TO 0.010


Copyright © 2004 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

DART

DESIGN JT	DRAWN BY JT	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED LP	APPROVED [Signature]	DRAWING NO. D3255	REV. B SHEET 4 OF 4
DATE 04.12.06		TITLE ACCESS PANEL ASSEMBLY	SCALE 1:5

RELEASED
DS 0118 #



D3255-5 GASKET

D3255-5 NOTES:

- 1) MATERIAL: SILICONE COATED FIBERGLASS CLOTH PER AMS 3320F
P/N SIL/F 36x36x1/16
POSSIBLE SUPPLIER: AVIALL
- 2) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 3) ALL DIMENSIONS ARE IN INCHES

Copyright © 2004 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.